Verkada | Veridt Verify • Identify

ACCX-AC-PV-VT-1

Veridt Stealth Dual PIV Reader



Overview

Built for FIPS 201 (FICAM) deployments, the Veridt Stealth Dual is a PIV reader with both contact and contactless interfaces, handling credential enrollment and door access in a single device. Wired to a Verkada access controller, it lets admins register PIV, PIV-I, and CAC cards directly in Command. At the door, it supports both one-factor and two-factor PIV authentication.

Key features

Streamlined PIV card enrollment

Register PIV, PIV-I, and CAC credentials in Command with the Veridt Stealth Dual. Verkada checks in real time that each card is trusted, unexpired, and unrevoked before adding it to a user's profile.

Flexible authentication options

Supports contactless one-factor (PKI-CAK) and contact two-factor (PKI-AUTH) PIV authentication at the door.

OSDP with encryption

The Veridt Stealth Dual uses Secure Channel OSDP v2 to communicate with the access controller over RS-485 for added security.

Intuitive LED feedback

Illuminated prompts show users where to tap or insert their card. LEDs confirm whether access is granted or denied, and show when a door is locked or unlocked during an emergency.

ACCX-AC-PV-VT-1
Tech specs

Power and network

Power consumption	12V ± 1V, 330mA max	**Rating**	IP65
Controllers	Requires an RS-485 (OSDP) connection to a Verkada access controller		

Credential compatibility

High frequency (13.56 MHz)	PIV, PIV-I, CAC	**Contact (ISO 7816)**	PIV, PIV-I, CAC
Low frequency (125 kHz)	Proximity cards	**Keypad**	Two-factor authentication (card + PIN), or PIN-only access

General

Dimensions	Height: 5.5in / 13.97cm Width: 3.0in / 7.62cm Depth: 1.5in / 4cm	**Operating temperature**	-40 to 158° F / -40 to 70° C 5-95% RH
Weight	0.7lb / 320g	**Warranty**	2 years
Certifications	Please see Compliance Statements in Veridt's Stealth Series Installation Guide.		

Installation

Included accessories	Mounting plate, reader cable (24" pigtail), 2 Phillips screws, 2 hex screws	**Mounting options**	Unit ships with standard single gang mounting plate

Ordering information

ACCX-AC-PV-VT-1 pricing

Model number	Description	US cost (MSRP) USD	WW cost (MSRP) USD
ACCX-AC-PV-VT-1	Veridt Stealth Dual PIV Reader	$1,499	N/A

AWS GovCloud software license pricing (new/capacity increase)

Model number	Description	US cost (MSRP) USD	WW cost (MSRP) USD
LIC-AC-1Y-CAP-G	Verkada 1-Year Door License for Government, Capacity Increase	$299	N/A
LIC-AC-3Y-CAP-G	Verkada 3-Year Door License for Government, Capacity Increase	$749	N/A
LIC-AC-5Y-CAP-G	Verkada 5-Year Door License for Government, Capacity Increase	$1,249	N/A
LIC-AC-10Y-CAP-G	Verkada 10-Year Door License for Government, Capacity Increase	$2,499	N/A

AWS GovCloud software license pricing (renewal)

Model number	Description	US cost (MSRP) USD	WW cost (MSRP) USD
LIC-AC-1Y-RNW-G	Verkada 1-Year Door License for Government, Renewal	$299	N/A
LIC-AC-3Y-RNW-G	Verkada 3-Year Door License for Government, Renewal	$749	N/A
LIC-AC-5Y-RNW-G	Verkada 5-Year Door License for Government, Renewal	$1,249	N/A
LIC-AC-10Y-RNW-G	Verkada 10-Year Door License for Government, Renewal	$2,499	N/A